



STATE OF WASHINGTON

DEPARTMENT OF ECOLOGY

15 West Yakima Avenue, Suite 200 • Yakima, Washington 98902-3452 • (509) 575-2490

May 11, 2001

Wyckoff Farms, Inc.
P.O. Box 249
Grandview, WA 98930-0249

Re: Emergency Drought Permits G4-32957

In accordance with the provisions of RCW 43.83B.405, on March 14, 2001, it was ordered and determined by the Director of the Department of Ecology that the State of Washington is under drought conditions. In accordance with the provisions of WAC 176-166-060, the Department of Ecology is under the terms of this Order, issuing an EMERGENCY DROUGHT PERMIT. The intent of this authorization is to alleviate hardships and reduce the burdens on water users arising from the drought conditions.

THIS AUTHORIZATION SHALL IN NO MANNER BE CONSTRUED TO GUARANTEE OR IMPLY THAT A FINAL (REGULAR) PERMIT WILL ISSUE FOR THE FUTURE USE OF THE WATER USE HEREIN AUTHORIZED.

The Department of Ecology has agreed to fund the cost of the mitigation or offsets for the impacts associated with the emergency drought authorizations. Ecology is attempting to meet the essential irrigation needs of farmers growing orchard crops, grapes and hops where the loss of irrigation water would permanently damage trees and vines. Essential needs have been defined as 75% to 80% of a usual irrigation water duty delivered by the irrigation districts.

This authorization is conditioned by the following provisions and limitations:

This authorization is for the use of an existing well located within the SE $\frac{1}{4}$ NE $\frac{1}{4}$ of Section 4, T. 9 N., R. 24 E.W.M. This well was authorized under Ground Water Permit No. G4-25176C.

The instantaneous quantity of water to be withdrawn is limited to 1240 gpm based on the instantaneous amount of 10 gpm per acre.

The annual quantity authorized is based on the crop type. The applicant has described the crop type on the land as 124 acres of wine grapes. Based on a supplemental crop duty of 0.75 acre feet for wine grapes, 93 acre-feet per year is authorized under this emergency permit for the supplemental irrigation of 124 acres.

WYCKOFF FARMS INC
MAY 11, 2001
PAGE 2 OF 2

The place of use is described as follows:

Parcel 1

That portion of the SW¼ Section 3, T. 9 N., R. 24 E.W.M., lying south of canal, less that portion lying west of the following described line: Commencing at the SW corner of Section 3, thence North 89 degrees, 05' 04" East, along the South line thereof, for 991.00' to the true point of beginning of said line; thence North 04 degrees 55', 20" East for 2450', more or less, to the Roza Irrigation District Canal.

Parcel 2

The East 657.52 feet of the NW¼ of Section 3, T. 9 N., R. 24 E.W.M.

A suitable flow meter approved by the Department of Ecology shall be installed and maintained in accordance with WAC 508-64-020 through WAC 508-64-040. (Installation, operation and maintenance requirements attached hereto.)

Whenever water is being diverted, bi-weekly (every two weeks) readings of the flow meter shall be recorded and maintained by the permittee. These readings shall be documented by time, date, withdrawal rate, and the person conducting the measurements. Copies of these records shall be submitted to the Department of Ecology at the end of the 2001 irrigation season.

Department of Ecology personnel, upon presentation of proper credentials, shall have access at reasonable times, to the records of water use that are kept to meet the above conditions, and to inspect at reasonable times any measuring device used to meet the above conditions.

Withdrawal of water under this authorization may be limited or otherwise regulated in favor of senior rights.

This drought emergency authorization expires on October 31, 2001.

This Order may be appealed pursuant to RCW Chapter 43.21B. The person to whom this Order is issued must file an appeal with the Pollution Control Hearings Board within thirty (30) days of receipt of this Order. Send the appeal to: Pollution Control Hearings Board, P.O. Box 40903, Olympia, Washington 98504-0903. At the same time, a copy of the appeal must be sent to: Department of Ecology, Fiscal Office, P.O. Box 47615, Olympia, Washington 98504-7615. All others receiving notice of this Order must file an appeal with the Pollution Control Hearings Board within thirty (30) days of the date the Order was mailed in the same manner described above.

Sincerely,



Robert F Barwin
Section Manager, Water Resources Program

PC:gg/010533

Enclosures: Flow Meter Requirements

cc: Yakama Nation